# Author Index


Abaigar, L.T., Yeh, Y.I.-S. and Jong, A.Y.
Functional and structural conservation of *Schizosaccharomyces pombe* dTMP kinase gene (1132) 222
Abramson, S.R. and Woessner, Jr., J.F.
cDNA sequence for rat dermatan sulfate proteoglycan-II (decorin) (1132) 225
Adachi, H., Ishida, N. and Tsujimoto, M.
Primary structure of rat renal dipeptidase and expression of its mRNA in rat tissues and COS-1 cells (1132) 311
Adey, W.R., see Phillips, J.L. (1132) 140
Adrian, E.K., see Adrian, G.S. (1132) 168
Adrian, G.S., Herbert, D.C., Robinson, L.A.K., Walter, C.A., Buchanan, J.M., Adrian, E.K., Weaker, F.J., Eddy, C.A., Yang, F. and Bowman, B.H.
Expression of a human chimeric transferrin gene in senescent transgenic mice reflects the decrease of transferrin levels in aging humans (1132) 168
Alcina, A., see Matesanz, F. (1132) 335
Alpers, D.H., see Gordon, M. (1132) 276
Appelhans, H., see Russ, A.P. (1132) 329
Ariga, H., see Imamura, Y. (1132) 177
Austin, C., see Capranico, G. (1132) 43

Bakhshi, M.R., Myers, J.C., Howard, P.S., Soprano, D.R. and Kirby, E.P.
Sequencing of the primary adhesion domain of bovine von Willebrand factor (1132) 325
Ballas, L.M., see Basta, P. (1132) 154
Baltrus, T., see Palmer, J.R. (1132) 315
Basta, P., Strickland, M.B., Holmes, W., Loomis, C.R., Ballas, L.M. and Burns, D.J.
Sequence and expression of human protein kinase C-$\epsilon$ (1132) 154
Bocchini, V., see Raimo, G. (1132) 127
Boryca, V.S., see Shull, J.D. (1132) 214
Bost, F., see Diarra-Mehrpour, M. (1132) 114
Boulet, A., see Vassal, A. (1132) 211
Bourguignon, J., see Diarra-Mehrpour, M. (1132) 114
Bowman, B.H., see Adrian, G.S. (1132) 168
Breen, G.A.M., see Pierce, D.J. (1132) 265
Brown, K.D., see Vaughan, T.J. (1132) 322
Buchanan, J.M., see Adrian, G.S. (1132) 168
Burns, D.J., see Basta, P. (1132) 154

Capranico, G., Tinelli, S., Austin, C., Fisher, M. and Zunino, F.
Different patterns of gene expression of topoisomerase II isoforms in differentiated tissues during murine development (1132) 43
Cazals-Hatem, D.L., Louie, D.C., Tanaka, S. and Reed, J.C.
Molecular cloning and DNA sequence analysis of cDNA encoding chicken homologue of the Bcl-2 oncoprotein (1132) 109
Chambert, R., Rain-Guion, M.-C. and Petit-Glatron, M.-F.
Readthrough of the *Bacillus subtilis* stop codon produces an extended enzyme displaying a higher polymerase activity (1132) 145
Chen, C.T., see Kirtley, S.M. (1132) 249
Chen, J., see Kirtley, S.M. (1132) 249
Chen, K.-s., see Goto, H. (1132) 103
Cheng, L., Hirst, K. and Piper, P.W.
Authentic temperature-regulation of a heat shock gene inserted into yeast on a high copy number vector. Influences of overexpression of HSP90 protein on high temperature growth and thermotolerance (1132) 26
Chiang, J.Y.L., Yang, T.P. and Wang, D.P.
Cloning and 5′-flanking sequence of a rat cholesterol 7$\alpha$-hydroxylase gene (1132) 337
Chokshi, H., see Gordon, M. (1132) 276
Chuang, D.T., see Lau, K.S. (1132) 319
Chuang, J.L., see Lau, K.S. (1132) 319
Collett, A.G. and Ralph, R.K.
Regulation of topoisomerase II by murine mastocytoma cells (1132) 259
Conneely, O.M., see Lydon, J.P. (1132) 97
Cortese, R., see De Simone, V. (1132) 119
Cox, R.P., see Lau, K.S. (1132) 319
Crabb, D.W., see Zhao, Y. (1132) 207
Cramer, S.P., see Kirtley, S.M. (1132) 249

Daniels, C.J., see Palmer, J.R. (1132) 315
Danner, D.J., see Lau, K.S. (1132) 319
Decoster, E., see Vassal, A. (1132) 211
Dello Russo, A., see Raimo, G. (1132) 127
DeLuca, H.F., see Goto, H. (1132) 103
De Simone, V. and Cortese, R.
Transcription factors and liver-specific genes (1132) 119
Diarra-Mehrpour, M., Bourguignon, J., Bost, F., Sesboüé, R., Muschio, F., Sarafan, N. and Martin, J.-P.
Human inter-$\alpha$-trypsin inhibitor: full-length cDNA sequence of the heavy chain H1 (1132) 114
Dixon, N.E., see Stamford, N.P.J. (1132) 17

Edamatsu, M., see Takemasa, T. (1132) 219
Eddy, C.A., see Adrian, G.S. (1132) 168
Engel, W., see Kremling, H. (1132) 133

Faye, G., see Vassal, A. (1132) 211
Fisher, M., see Capranico, G. (1132) 43
Forstner, G., see Huan, L.J. (1132) 79
Forstner, J., see Huan, L.J. (1132) 79
Fujii, A., see Taniguchi, Y. (1132) 332
Fujii, N., see Koyama, Y. (1132) 188
Fujita, T., Shirasawa, T., Uchida, K. and Maruyama, N.
Isolation of cDNA clone encoding rat senescence marker protein-30 (SMP30) and its tissue distribution (1132) 297
Fushiki, T., see Tsuzuki, S. (1132) 199

Gay, N.J. and Keith, F.J.
Regulation of translation and proteolysis during the development of embryonic dorso-ventral polarity in *Drosophila*. Homology of easter proteinase with *Limulus* proclotting enzyme and translational activation of Toll receptor synthesis (1132) 290
George, S.J., see Kirtley, S.M. (1132) 249

Gordon, M., Chokshi, H. and Alpers, D.H.
In vitro expression and secretion of functional mammalian intrinsic factor using recombinant baculovirus (1132) 276
Goto, H., Chen, K.-s., Prahl, J.M. and DeLuca, H.F.
A single receptor identical with that from intestine/T47D cells mediates the action of 1,25-dihydroxyvitamin D-3 in HL-60 cells (1132) 103
Gräf, R., see Novak, F.J.S. (1132) 67
Groß, W., see Russ, A.P. (1132) 329
Guha, S. and Guschlbauer, W.
Improved plasmids containing the *Escherichia coli dam* gene under the control of the *tac* promoter (1132) 309
Guillot, D., see Lavergne, J.-P. (1132) 284
Guschlbauer, W., see Guha, S. (1132) 309

Haggren, W., see Phillips, J.L. (1132) 140
Harauz, G.
Electron microscopical projections of the large ribosomal subunit from *Thermomyces lanuginosus* (1132) 58
Harris, R.A., see Zhao, Y. (1132) 207
Harvey, W.R., see Novak, F.J.S. (1132) 67
Hashimoto, T., Suzuki, K., Mizuta, K. and Otaka, E.
Yeast ribosomal proteins: XIV. Complete nucleotide sequences of the two genes encoding *Saccharomyces cerevisiae* YL16 (1132) 195
Hayashi, T., see Koyama, Y. (1132) 188
Headon, D.R., see Lydon, J.P. (1132) 97
Herbert, D.C., see Adrian, G.S. (1132) 168
Herring, W.J., see Lau, K.S. (1132) 319
Higashimoto, Y., Simchock, J. and Liddle, R.A.
Molecular cloning of rat glucose-dependent insulinotropic peptide (GIP) (1132) 72
Hirochika, H., see Taniai, K. (1132) 203
Hirst, K., see Cheng, L. (1132) 26
Holmes, W., see Basta, P. (1132) 154
Howard, P.S., see Bakhshi, M.R. (1132) 325
Huan, L.J., Xu, G., Forstner, G. and Forstner, J.
A serine, threonine and proline-rich region near the carboxyl-terminus of a rat intestinal mucin peptide (1132) 79

Iguchi-Ariga, S.M.M., see Imamura, Y. (1132) 177
Ikawa, Y., see Sazuka, T. (1132) 240
Imamura, Y., Iguchi-Ariga, S.M.M. and Ariga, H.
The upstream region of the mouse N-*myc* gene: identification of an enhancer element that functions preferentially in-neuroblastoma IMR32 cells (1132) 177
Ishida-Jones, T., see Phillips, J.L. (1132) 140
Ishida, N., see Adachi, H. (1132) 311
Ishiye, M. and Niwa, M.
Nucleotide sequence and expression in *Escherichia coli* of the Cephalosporin acylase gene of a *Pseudomonas* strain (1132) 233
Izumi, S., see Nakato, H. (1132) 161

Jong, A.Y., see Abaigar, L.T. (1132) 222
Jordan, E.M., see Pierce, D.J. (1132) 265

Kadenbach, B., see Scheja, K. (1132) 91
Kathju, S., see Sazuka, T. (1132) 240
Kato, Y., see Taniai, K. (1132) 203
Keith, F.J., see Gay, N.J. (1132) 290
Kirby, E.P., see Bakhshi, M.R. (1132) 325
Kirtley, S.M., Mullins, O.C., Chen, J., Van Elp, J., George, S.J., Chen, C.T., O'Halloran, T. and Cramer, S.P.
Nitrogen chemical structure in DNA and related molecules by X-ray absorption spectroscopy (1132) 249
Knippers, R., see Lässle, M. (1132) 1
Koyama, Y., Hayashi, T., Fujii, N. and Yoshida, T.
Recombinant mouse tumor necrosis factor expressed in mammalian cells: effect of glycosylation on cytotoxic activity (1132) 188
Kremling, H., Reinhart, N., Schlösser, M. and Engel, W.
The bovine protamine 2 gene: evidence for alternative splicing (1132) 133
Kumar, S., see Sazuka, T. (1132) 240
Kuntz, M.J., see Zhao, Y. (1132) 207
Kurata, S.-i. and Matsumoto, M.
Expression of heme oxygenase and its RNA in mouse liver after injection of heme and splenectomy (1132) 255

Lässle, M., Richter, A. and Knippers, R.
Comparison of replicative and non-replicative chromatin assembly pathways in HeLa cell extracts (1132) 1
Lau, K.S., Chuang, J.L., Herring, W.J., Danner, D.J., Cox, R.P. and Chuang, D.T.
The complete cDNA sequence for dihydrolipoyl transacylase (E2) of human branched-chain $\alpha$-keto acid dehydrogenase complex (1132) 319
Lavergne, J.-P., Reboud, A.-M., Sontag, B., Guillot, D. and Reboud, J.-P.
Binding of GDP to a ribosomal protein after elongation factor-2 dependent GTP hydrolysis (1132) 284
Lee, T., see Lydon, J.P. (1132) 97
Leeflang, E.P., see Liu, W.-M. (1132) 306
Liddle, R.A., see Higashimoto, Y. (1132) 72
Lilley, P.E., see Stamford, N.P.J. (1132) 17
Liu, L. and Pohajdak, B.
Cloning and sequencing of a human cDNA from cytolytic NK/T cells with homology to yeast *SEC7* (1132) 75
Liu, W.-M., Leeflang, E.P. and Schmid, C.W.
Unusual sequences of two old, inactive human *Alu* repeats (1132) 306
Loomis, C.R., see Basta, P. (1132) 154
Louie, D.C., see Cazals-Hatem, D.L. (1132) 109
Lydon, J.P., O'Malley, B.R., Saucedo, O., Lee, T., Headon, D.R. and Conneely, O.M.
Nucleotide and primary amino acid sequence of porcine lactoferrin (1132) 97

Macheroux, P., Mulrooney, S.B., Williams, Jr., C.H. and Massey, V.
Direct expression of active spinach glycolate oxidase in *Escherichia coli* (1132) 11
Maerz, W., see Russ, A.P. (1132) 329
Martin, J.-P., see Diarra-Mehrpour, M. (1132) 114
Maruyama, N., see Fujita, T. (1132) 297
Massey, V., see Macheroux, P. (1132) 11
Masuda, S., see Tanaka, K. (1132) 94
Masullo, M., see Raimo, G. (1132) 127
Matesanz, F., Alcina, A. and Pellicer, A.
A new cDNA sequence for the murine interleukin-2 gene (1132) 335
Matsui, T., see Okano, R. (1132) 49
Matsumoto, M., see Kurata, S.-i. (1132) 255
Merkulov, V.M. and Merkulova, T.I.
Nucleotide sequence of a fragment of the rat tryptophan oxygenase gene showing high affinity to glucocorticoid receptor in vitro (1132) 100
Merkulova, T.I., see Merkulov, V.M. (1132) 100
Michaelis, C. and Weeks, G.
Isolation and characterization of a *cdc*2 cDNA from *Dictyostelium discoideum* (1132) 35
Mita, T., see Okano, R. (1132) 49
Miura, Y., see Tsuzuki, S. (1132) 199
Mizuta, K., see Hashimoto, T. (1132) 195

Moriuchi, T., see Taniguchi, Y. (1132) 332
Mullins, O.C., see Kirtley, S.M. (1132) 249
Mulrooney, S.B., see Macheroux, P. (1132) 11
Muschio, F., see Diarra-Mehrpour, M. (1132) 114
Myers, J.C., see Bakhshi, M.R. (1132) 325

Nakato, H., Izumi, S. and Tomino, S.
Structure and expression of gene coding for a pupal cuticle protein of *Bombyx mori* (1132) 161
Natori, Y., see Tsuzuki, S. (1132) 199
Niwa, M., see Ishiye, M. (1132) 233
Noda, M., see Sazuka, T. (1132) 240
Novak, F.J.S., Gräf, R., Waring, R.B., Wolfersberger, M.G., Wieczorek, H. and Harvey, W.R.
Primary structure of V-ATPase subunit B from *Manduca sexta* midgut (1132) 67

O'Halloran, T., see Kirtley, S.M. (1132) 249
Okamoto, H., see Takasawa, S. (1132) 228
Okano, R., Mita, T. and Matsui, T.
Characterization of a novel promoter structure and its transcriptional regulation of the murine laminin B1 gene (1132) 49
O'Malley, B.R., see Lydon, J.P. (1132) 97
Oomori, T., see Tsuzuki, S. (1132) 199
Otaka, E., see Hashimoto, T. (1132) 195

Palmer, J.R., Baltrus, T., Reeve, J.N. and Daniels, C.J.
Transfer RNA genes from the hyperthermophilic Archaeon, *Methanopyrus kandleri* (1132) 315
Parente, A., see Raimo, G. (1132) 127
Pascall, J.C., see Vaughan, T.J. (1132) 322
Pellicer, A., see Matesanz, F. (1132) 335
Pennington, K.L., see Shull, J.D. (1132) 214
Petit-Glatron, M.-F., see Chambert, R. (1132) 145
Phillips, J.L., Haggren, W., Thomas, W.J., Ishida-Jones, T. and Adey, W.R.
Magnetic field-induced changes in specific gene transcription (1132) 140
Pierce, D.J., Jordan, E.M. and Breen, G.A.M.
Structural organization of a nuclear gene for the $\alpha$-subunit of the bovine mitochondrial ATP synthase complex (1132) 265
Piper, P.W., see Cheng, L. (1132) 26
Pitot, H.C., see Shull, J.D. (1132) 214
Pohajdak, B., see Liu, L. (1132) 75
Prahl, J.M., see Goto, H. (1132) 103

Raimo, G., Masullo, M., Parente, A., Dello Russo, A. and Bocchini, V.
Molecular, functional and structural properties of an archaebacterial elongation factor 2 (1132) 127
Rain-Guion, M.-C., see Chambert, R. (1132) 145
Ralph, R.K., see Collett, A.G. (1132) 259
Reboud, A.-M., see Lavergne, J.-P. (1132) 284
Reboud, J.-P., see Lavergne, J.-P. (1132) 284
Reed, J.C., see Cazals-Hatem, D.L. (1132) 109
Reeve, J.N., see Palmer, J.R. (1132) 315
Reinhart, N., see Kremling, H. (1132) 133
Richter, A., see Lässle, M. (1132) 1
Robinson, L.A.K., see Adrian, G.S. (1132) 168
Russ, A.P., Ruzicka, V., Maerz, W., Appelhans, H. and Groß, W.
Amplification and direct sequencing of a cDNA encoding human cytosolic 3-hydroxy-3-methylglutaryl-coenzyme A synthase (1132) 329
Ruzicka, V., see Russ, A.P. (1132) 329

Sarafan, N., see Diarra-Mehrpour, M. (1132) 114
Satoh, T., see Tsuzuki, S. (1132) 199
Saucedo, O., see Lydon, J.P. (1132) 97
Sazuka, T., Tomooka, Y., Kathju, S., Ikawa, Y., Noda, M. and Kumar, S.
Identification of a developmentally regulated gene in the mouse central nervous system which encodes a novel proline rich protein (1132) 240
Scheja, K. and Kadenbach, B.
Nucleotide sequence of cDNA encoding subunit VIII of cytochrome *c* oxidase from rat heart (1132) 91
Schlösser, M., see Kremling, H. (1132) 133
Schmid, C.W., see Liu, W.-M. (1132) 306
Schulte, B.L., see Shull, J.D. (1132) 214
Sesboüé, R., see Diarra-Mehrpour, M. (1132) 114
Shiga, K., see Takasawa, S. (1132) 228
Shirasawa, T., see Fujita, T. (1132) 297
Shull, J.D., Pennington, K.L., Pitot, H.C., Boryca, V.S. and Schulte, B.L.
Isolation and characterization of the rat gene encoding ornithine aminotransferase (1132) 214
Simchock, J., see Higashimoto, Y. (1132) 72
Sontag, B., see Lavergne, J.-P. (1132) 284
Soprano, D.R., see Bakhshi, M.R. (1132) 325
Stamford, N.P.J., Lilley, P.E. and Dixon, N.E.
Enriched sources of *Escherichia coli* replication proteins. The *dnaG* primase is a zinc metalloprotein (1132) 17
Stokkermans, J.P.W.G., Van den Berg, W.A.M., Van Dongen, W.M.A.M. and Veeger, C.
The primary structure of a protein containing a putative [6Fe-6S] prismane cluster from *Desulfovibrio desulfuricans* (ATCC 27774) (1132) 83
Strickland, M.B., see Basta, P. (1132) 154
Sugimoto, E., see Tsuzuki, S. (1132) 199
Suzuki, K., see Hashimoto, T. (1132) 195

Takagi, T., see Takemasa, T. (1132) 219
Takahashi, H., see Tanaka, K. (1132) 94
Takasawa, S., Tohgo, A., Unno, M., Shiga, K., Yonekura, H. and Okamoto, H.
The primary structure of rat *rig*/ribosomal protein S15 gene (1132) 228
Takemasa, T., Takagi, T., Edamatsu, M. and Watanabe, Y.
Calmodulin cDNAs from two species of *Tetrahymena* (1132) 219
Tanaka, K., Masuda, S. and Takahashi, H.
The complete nucleotide sequence of the gene (*rpoD1*) encoding the principal $\sigma$ factor of the RNA polymerase from the cyanobacterium *Synechococcus* sp. strain PCC7942 (1132) 94
Tanaka, S., see Cazals-Hatem, D.L. (1132) 109
Tanaka, T., see Toku, S. (1132) 88
Taniai, K., Kato, Y., Hirochika, H. and Yamakawa, M.
Isolation and nucleotide sequence of cecropin B cDNA clones from the silkworm, *Bombyx mori* (1132) 203
Taniguchi, Y., Fujii, A. and Moriuchi, T.
Cloning and sequencing of the human homeobox gene HOX4A (1132) 332
Thomas, W.J., see Phillips, J.L. (1132) 140
Tinelli, S., see Capranico, G. (1132) 43
Tohgo, A., see Takasawa, S. (1132) 228
Toku, S. and Tanaka, T.
The primary structure of chicken ribosomal protein L37a (1132) 88
Tomino, S., see Nakato, H. (1132) 161
Tomooka, Y., see Sazuka, T. (1132) 240
Tsujimoto, M., see Adachi, H. (1132) 311
Tsuzuki, S., Miura, Y., Fushiki, T., Oomori, T., Satoh, T., Natori, Y. and Sugimoto, E.
Molecular cloning and characterization of genes encoding rat pancreatic cholecystokinin (CCK)-releasing peptide (monitor

peptide) and pancreatic secretory trypsin inhibitor (PSTI) (1132) 199

Uchida, K., see Fujita, T. (1132) 297
Unno, M., see Takasawa, S. (1132) 228

Van den Berg, W.A.M., see Stokkermans, J.P.W.G. (1132) 83
Van Dongen, W.M.A.M., see Stokkermans, J.P.W.G. (1132) 83
Van Elp, J., see Kirtley, S.M. (1132) 249
Vassal, A., Boulet, A., Decoster, E. and Faye, G.
QRI8, a novel ubiquitin-conjugating enzyme in *Saccharomyces cerevisiae* (1132) 211
Vaughan, T.J., Pascall, J.C. and Brown, K.D.
Nucleotide sequence and tissue distribution of mouse transforming growth factor-$\alpha$ (1132) 322
Veeger, C., see Stokkermans, J.P.W.G. (1132) 83

Walter, C.A., see Adrian, G.S. (1132) 168
Wang, D.P., see Chiang, J.Y.L. (1132) 337
Waring, R.B., see Novak, F.J.S. (1132) 67
Watanabe, Y., see Takemasa, T. (1132) 219
Weaker, F.J., see Adrian, G.S. (1132) 168
Weeks, G., see Michaelis, C. (1132) 35
Wieczorek, H., see Novak, F.J.S. (1132) 67
Williams, Jr., C.H., see Macheroux, P. (1132) 11
Woessner, Jr., J.F., see Abramson, S.R. (1132) 225
Wolfersberger, M.G., see Novak, F.J.S. (1132) 67

Xu, G., see Huan, L.J. (1132) 79

Yamakawa, M., see Taniai, K. (1132) 203
Yang, F., see Adrian, G.S. (1132) 168
Yang, T.P., see Chiang, J.Y.L. (1132) 337
Yeh, Y.I.-S., see Abaigar, L.T. (1132) 222
Yonekura, H., see Takasawa, S. (1132) 228
Yoshida, T., see Koyama, Y. (1132) 188

Zhao, Y., Kuntz, M.J., Harris, R.A. and Crabb, D.W.
Molecular cloning of the E1$\beta$ subunit of the rat branched chain $\alpha$-ketoacid dehydrogenase (1132) 207
Zunino, F., see Capranico, G. (1132) 43